

NYS DOH Measured Basement, First Floor Screening Radon Levels (October 2016)

County	Town/Village/City	Test	Homes	Radon Screening Concentration (pCi/L)				Total Homes		
		Location	Screened	Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	>20 pCi/L

Report includes results from charcoal and soil detectors.

Only Basement, First Floor readings selected.

Only Screening readings selected.

	Radon levels below 2 pCi/L
	The EPA "SUGGEST" radon mitigation for radon levels of 2 to 4 pCi/L
	The EPA "RECOMMENDS" radon mitigation for radon levels above 4 pCi/L

ALLEGANY	ALFRED	Basement	38	3.98	2.19	3.23	26.4	27	10	1
ALLEGANY	ALLEN	Basement	1	8.5	8.5	1	8.5	0	1	0
ALLEGANY	ALMA	Basement	6	6.98	1.88	7.05	30	4	1	1
ALLEGANY	ALMOND	Basement	18	7.7	4.9	2.72	25.7	8	9	1
ALLEGANY	AMITY	Basement	34	13.88	6.86	4.62	45.2	9	16	9
ALLEGANY	ANDOVER	Basement	42	11.65	5.83	3.8	40.4	16	15	11
ALLEGANY	ANGELICA	Basement	5	17.52	12.48	2.76	40.1	1	3	1
ALLEGANY	BELFAST	Basement	15	11.18	3.78	3.21	117.2	7	7	1
ALLEGANY	BOLIVAR	Basement	28	7.74	3.97	3.81	27.4	13	12	3
ALLEGANY	BURNS	Basement	19	28.81	6.32	6.03	216.6	8	6	5
ALLEGANY	CANEADEA	Basement	22	3.26	1.95	2.96	14	17	5	0
ALLEGANY	CENTERVILLE	Basement	3	5.27	4.58	1.87	9.4	2	1	0
ALLEGANY	CLARKSVILLE	Basement	6	5.58	3.5	3.29	10.8	3	3	0
ALLEGANY	CUBA	Basement	38	13.07	5.71	3.72	81.1	15	15	8
ALLEGANY	FRIENDSHIP	Basement	10	17.97	9.6	3.44	65.8	2	5	3
ALLEGANY	GENESEE	Basement	5	5.18	3.57	2.86	10.9	2	3	0
ALLEGANY	GRANGER	Basement	2	1.3	1.24	1.57	1.7	2	0	0
ALLEGANY	GROVE	Basement	2	1.75	0.98	5.33	3.2	2	0	0
ALLEGANY	HUME	Basement	38	8.46	5.2	2.89	42.6	14	21	3
ALLEGANY	INDEPENDENCE	Basement	6	5.83	4.21	2.44	15.5	3	3	0
ALLEGANY	NEW HUDSON	Basement	2	1.5	1.2	2.67	2.4	2	0	0
ALLEGANY	RUSHFORD	Basement	11	4.1	2.01	3.66	23.9	9	1	1
ALLEGANY	SCIO	Basement	15	12.91	5.65	4.51	48.1	7	4	4
ALLEGANY	W. ALMOND	Basement	3	2.5	2.47	1.2	2.8	3	0	0
ALLEGANY	WARD	Basement	6	12.47	6.19	4.26	26.4	3	1	2
ALLEGANY	WELLSVILLE	Basement	152	11.86	5.41	3.7	113.8	59	74	19
ALLEGANY	WILLING	Basement	6	16.52	12.69	2.36	38.1	1	4	1
ALLEGANY	WIRT	Basement	2	1.25	1.2	1.5	1.6	2	0	0

NYS DOH Measured Basement, First Floor Screening Radon Levels (October 2016)

County	Town/Village/City	Test	Homes	Radon Screening Concentration (pCi/L)			Total Homes			
		Location	Screened	Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	>20 pCi/L
CATTARAUGUS	ALLEGANY	Basement	191	11.92	5.45	3.39	275.9	80	79	32
CATTARAUGUS	ASHFORD	Basement	25	10.25	3.79	3.95	94.4	12	10	3
CATTARAUGUS	CARROLLTON	Basement	16	2.52	1.71	2.89	5.9	11	5	0
CATTARAUGUS	COLDSRING	Basement	8	10.84	4.77	3.78	42.5	5	1	2
CATTARAUGUS	CONEWANGO	Basement	15	2.8	1.85	2.45	13.3	12	3	0
CATTARAUGUS	DAYTON	Basement	13	4.09	2.71	2.65	12.6	9	4	0
CATTARAUGUS	E. OTTO	Basement	4	10	3.35	5.2	34.6	3	0	1
CATTARAUGUS	ELLCOTTVILLE	Basement	28	7.95	4.41	3.02	40	15	10	3
CATTARAUGUS	FARMERSVILLE	Basement	3	18.23	2.01	17.48	53.9	2	0	1
CATTARAUGUS	FRANKLINVILLE	Basement	52	9.48	5.25	3.53	38.2	19	26	7
CATTARAUGUS	FREEDOM	Basement	19	8.16	4.88	2.85	28.4	8	8	3
CATTARAUGUS	GREAT VALLEY	Basement	46	10.64	5.36	3.3	62.1	18	20	8
CATTARAUGUS	HINSDALE	Basement	47	12.01	5.5	3.83	61.5	20	16	11
CATTARAUGUS	HUMPHREY	Basement	7	5.89	4.84	2.05	10.7	3	4	0
CATTARAUGUS	ISCHUA	Basement	13	5.46	4.29	2.06	17.3	5	8	0
CATTARAUGUS	LEON	Basement	9	10.67	5.77	3.28	38.4	4	3	2
CATTARAUGUS	LITTLE VALLEY	Basement	59	15.36	9.85	2.85	64.9	10	35	14
CATTARAUGUS	LYNDON	Basement	6	17.78	3.96	5.33	94.4	5	0	1
CATTARAUGUS	MACHIAS	Basement	40	12.65	5.93	3.78	56.7	17	15	8
CATTARAUGUS	MANSFIELD	Basement	5	7.58	6.6	1.86	11.9	1	4	0
CATTARAUGUS	NAPOLI	Basement	8	1.56	0.68	4.57	6.3	7	1	0
CATTARAUGUS	NEW ALBION	Basement	52	16.96	8.65	3.57	112.1	13	24	15
CATTARAUGUS	OLEAN	Basement	477	7.82	2.96	3.04	522.1	300	153	24
CATTARAUGUS	OTTO	Basement	15	3.83	3.2	1.85	11.6	9	6	0
CATTARAUGUS	PERRYSBURG	Basement	33	6.08	3.43	2.97	22	21	9	3
CATTARAUGUS	PERSIA	Basement	29	5.35	3.53	2.49	21	18	9	2
CATTARAUGUS	PORTVILLE	Basement	61	6.95	4.17	2.78	39.6	31	27	3
CATTARAUGUS	RANDOLPH	Basement	55	9.62	5.87	2.87	51.5	17	30	8
CATTARAUGUS	RED HOUSE	Basement	5	3.28	2.71	2.23	4.6	2	3	0
CATTARAUGUS	SALAMANCA	Basement	91	7.45	4.13	3.05	67.3	41	43	7
CATTARAUGUS	SO. VALLEY	Basement	2	4.45	3.65	2.51	7	1	1	0
CATTARAUGUS	YORKSHIRE	Basement	33	19.78	9.38	3.52	162.7	7	19	7

NYS DOH Measured Basement, First Floor Screening Radon Levels (October 2016)

County	Town/Village/City	Test	Homes	Radon Screening Concentration (pCi/L)			Total Homes			
		Location	Screened	Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	>20 pCi/L
CHAUTAUQUA	ARKWRIGHT	Basement	2	1.8	1.61	1.97	2.6	2	0	0
CHAUTAUQUA	BUSTI	Basement	40	3.1	1.92	2.58	18.7	32	8	0
CHAUTAUQUA	CARROLL	Basement	33	10.88	7.31	2.77	28.3	11	16	6
CHAUTAUQUA	CHARLOTTE	Basement	2	12.35	6.58	5.8	22.8	1	0	1
CHAUTAUQUA	CHAUTAUQUA	Basement	33	2.44	1.48	3.2	10.9	28	5	0
CHAUTAUQUA	CHERRY CREEK	Basement	9	5.23	2.93	4.56	9.9	4	5	0
CHAUTAUQUA	CLYMER	Basement	26	7.78	4.97	2.86	22.4	12	13	1
CHAUTAUQUA	DUNKIRK	Basement	72	1.86	1.03	2.89	22	66	5	1
CHAUTAUQUA	ELLERY	Basement	22	10.96	2.71	6.04	102.1	14	5	3
CHAUTAUQUA	ELLCOTT	Basement	59	5.37	2.97	2.9	36	38	19	2
CHAUTAUQUA	ELLINGTON	Basement	7	6.56	4.4	2.8	15.4	4	3	0
CHAUTAUQUA	GERRY	Basement	3	10.87	7.37	2.84	24.5	1	1	1
CHAUTAUQUA	HANOVER	Basement	83	4.88	2.42	3.05	97.7	61	19	3
CHAUTAUQUA	HARMONY	Basement	7	1.7	1.13	3.44	3.2	7	0	0
CHAUTAUQUA	JAMESTOWN	Basement	295	4.76	2.41	3.17	74.6	199	88	8
CHAUTAUQUA	KIANTONE	Basement	9	7.26	4.6	3.33	14.9	3	6	0
CHAUTAUQUA	MINA	Basement	3	11.07	7.21	3.9	17.2	1	2	0
CHAUTAUQUA	NO. HARMONY	Basement	23	3.08	2.13	2.78	8	15	8	0
CHAUTAUQUA	POLAND	Basement	10	16.37	8.82	4.4	49.4	3	4	3
CHAUTAUQUA	POMFRET	Basement	140	6.35	2.86	3.31	131.3	89	44	7
CHAUTAUQUA	PORTLAND	Basement	13	5.06	2.82	2.98	18.6	9	4	0
CHAUTAUQUA	RIPLEY	Basement	4	3.88	2.2	3.52	10.8	3	1	0
CHAUTAUQUA	SHERIDAN	Basement	22	11.85	4.16	4.51	57.9	13	4	5
CHAUTAUQUA	SHERMAN	Basement	17	4.19	2.33	3.1	15.7	12	5	0
CHAUTAUQUA	STOCKTON	Basement	17	8.71	6.04	2.77	23.1	4	12	1
CHAUTAUQUA	VILLENOVA	Basement	1	5.3	5.3	1	5.3	0	1	0
CHAUTAUQUA	WESTFIELD	Basement	68	14.33	6.59	3.87	141	25	28	15

NYS DOH Measured Basement, First Floor Screening Radon Levels (October 2016)

County	Town/Village/City	Test	Homes	Radon Screening Concentration (pCi/L)			Total Homes			
		Location	Screened	Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	>20 pCi/L
ERIE	ALDEN	Basement	129	5.49	1.87	3.77	185.3	101	23	5
ERIE	AMHERST	Basement	927	2.58	1.17	2.95	115.6	826	79	22
ERIE	AURORA	Basement	463	11.55	4.42	3.93	391.1	226	171	66
ERIE	BOSTON	Basement	114	8.74	3.98	4.08	49.9	59	36	19
ERIE	BRANT	Basement	9	12.9	4.13	4.61	78.7	5	3	1
ERIE	BUFFALO	Basement	1,125	1.15	0.61	2.84	63.2	1,074	48	3
ERIE	CHEEKTOWAGA	Basement	468	1.04	0.72	2.29	30.8	460	7	1
ERIE	CLARENCE	Basement	265	6.52	2.32	3.82	207.8	185	60	20
ERIE	COLDEN	Basement	46	5.3	3.3	2.59	38	27	17	2
ERIE	COLLINS	Basement	52	12.38	5.2	3.86	115.1	22	20	10
ERIE	CONCORD	Basement	185	15.4	7.57	3.89	163	55	83	47
ERIE	EDEN	Basement	173	6.5	3.26	2.85	206.7	107	57	9
ERIE	ELMA	Basement	295	8.55	3.14	3.54	213.6	185	83	27
ERIE	EVANS	Basement	128	5.81	2.94	3.15	92.3	83	40	5
ERIE	GRAND ISLAND	Basement	96	1.44	1.04	2.31	7.5	93	3	0
ERIE	HAMBURG	Basement	810	4.92	2.24	3.16	136.8	590	181	39
ERIE	HOLLAND	Basement	59	8.26	3.53	3.33	122.9	34	21	4
ERIE	KENMORE	Basement	155	0.75	0.56	2.21	4.8	154	1	0
ERIE	LACKAWANNA	Basement	54	1.31	0.78	2.66	11.4	52	2	0
ERIE	LANCASTER	Basement	208	2.82	1.27	2.73	155.1	188	16	4
ERIE	MARILLA	Basement	242	29.04	9.43	4.98	371.9	79	79	84
ERIE	NEWSTEAD	Basement	94	3.38	2.34	2.37	18	71	23	0
ERIE	NO. COLLINS	Basement	33	7.53	3.73	3.04	75.6	19	12	2
ERIE	ORCHARD PARK	Basement	537	4.67	2.34	2.91	116.9	393	125	19
ERIE	SARDINIA	Basement	27	20.85	7.63	5.33	121.2	9	7	11
ERIE	TONAWANDA	Basement	401	1.04	0.72	2.24	18.9	394	7	0
ERIE	W. SENECA	Basement	300	2.46	1.34	2.76	55.8	260	37	3
ERIE	WALES	Basement	45	11.76	4.3	3.48	181.7	24	17	4

NYS DOH Measured Basement, First Floor Screening Radon Levels (October 2016)

County	Town/Village/City	Test	Homes	Radon Screening Concentration (pCi/L)			Total Homes			
		Location	Screened	Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	>20 pCi/L
GENESEE	ALABAMA	Basement	16	2.17	2.03	1.46	4.2	15	1	0
GENESEE	ALEXANDER	Basement	30	3.68	2.76	2.23	16	20	10	0
GENESEE	BATAVIA	Basement	302	8.67	3.57	3.16	322.7	181	97	24
GENESEE	BERGEN	Basement	33	10.89	5.07	3.03	122.6	11	19	3
GENESEE	BETHANY	Basement	27	8.69	3.7	2.93	95.2	20	4	3
GENESEE	BYRON	Basement	22	5.76	2.91	2.82	44.8	16	4	2
GENESEE	DARIEN	Basement	46	9.2	2.87	3.16	187.9	32	12	2
GENESEE	ELBA	Basement	24	2.88	2.08	2.28	9	18	6	0
GENESEE	LE ROY	Basement	68	6.96	3.68	2.82	47.6	41	20	7
GENESEE	OAKFIELD	Basement	43	3.78	2.76	2.2	17.2	31	12	0
GENESEE	PAVILION	Basement	29	3.92	2.69	2.32	19.2	22	7	0
GENESEE	PEMBROKE	Basement	59	7.17	2.49	3.18	136.1	45	12	2
GENESEE	STAFFORD	Basement	22	16.84	6.29	5.19	89.6	9	8	5

NIAGARA	CAMBRIA	Basement	18	2.98	1.82	2.6	13.8	14	4	0
NIAGARA	HARTLAND	Basement	13	8.85	3.36	4.13	65.4	6	6	1
NIAGARA	LEWISTON	Basement	141	2.54	1.49	2.75	20.2	121	19	1
NIAGARA	LOCKPORT	Basement	139	2.53	1.39	2.8	50.1	120	17	2
NIAGARA	NEWFANE	Basement	24	2.53	1.83	2.34	7.9	19	5	0
NIAGARA	NIAGARA	Basement	83	1.05	0.75	2.3	6.3	81	2	0
NIAGARA	NIAGARA FALLS	Basement	633	1.37	0.89	2.45	38.6	601	31	1
NIAGARA	NO. TONAWANDA	Basement	195	1.89	1.2	2.61	15.6	172	23	0
NIAGARA	PENDLETON	Basement	20	2.26	1.23	3.03	16.8	19	1	0
NIAGARA	PORTER	Basement	68	2.64	1.65	2.71	20.6	55	12	1
NIAGARA	ROYALTON	Basement	18	2.29	1.49	2.56	11.7	17	1	0
NIAGARA	SOMERSET	Basement	7	1.43	1.31	1.59	2.6	7	0	0
NIAGARA	WHEATFIELD	Basement	36	0.94	0.69	2.25	3.6	36	0	0
NIAGARA	WILSON	Basement	18	1.67	1.09	2.51	9.2	17	1	0

NYS DOH Measured Basement, First Floor Screening Radon Levels (October 2016)

County	Town/Village/City	Test	Homes	Radon Screening Concentration (pCi/L)			Total Homes			
		Location	Screened	Average	GEO Mean	GEO Std Dev	Maximum	<4 pCi/L	≥4 & <20 pCi/L	>20 pCi/L
WYOMING	ARCADE	Basement	94	18.1	9.14	3.52	226.2	22	46	26
WYOMING	ATTICA	Basement	51	3.86	2.34	3.18	19.4	33	18	0
WYOMING	BENNINGTON	Basement	24	3.93	2.68	2.54	14.6	15	9	0
WYOMING	CASTILE	Basement	38	3.53	2.4	2.91	9.2	26	12	0
WYOMING	COVINGTON	Basement	10	9.25	3.98	3.41	55.7	6	3	1
WYOMING	EAGLE	Basement	16	10.14	5.22	3.36	51.6	8	6	2
WYOMING	GAINESVILLE	Basement	50	10.9	5.31	3.21	94.3	22	22	6
WYOMING	GENESEE FALLS	Basement	8	2.28	1.88	1.96	4.3	6	2	0
WYOMING	JAVA	Basement	20	14.56	3.73	5.55	137.4	12	4	4
WYOMING	MIDDLEBURY	Basement	26	11	5.23	3.73	72	11	11	4
WYOMING	ORANGEVILLE	Basement	6	2.65	1.54	4.3	6.8	5	1	0
WYOMING	PERRY	Basement	32	4.15	2.92	2.75	12.9	20	12	0
WYOMING	PIKE	Basement	13	9.5	5.19	4.42	22	4	8	1
WYOMING	SHELDON	Basement	38	8.59	3.33	4.4	75.1	20	15	3
WYOMING	WARSAW	Basement	112	10.66	5.16	3.34	178.3	47	49	16
WYOMING	WETHERSFIELD	Basement	3	2.07	1.59	2.37	4.2	2	1	0

STATE WIDE SUMMARY

110,035

5.14

2.01

3.91

601.4

see respective